

ADHESIVE TYPE	RH LEVEL	ADHESIVE	FOR
<b>ROLL-ON/ TROWEL</b> 	up to 95%	<b>Mosaic 95</b> <ul style="list-style-type: none"> <li>Approved for all grade renovations where concrete pH levels are between 5-11 and RH is equal to or less than 95%</li> </ul> <div style="border: 1px solid black; padding: 2px; display: inline-block;">INSTALL</div> 45 days after new pour with RH testing	Modular Carpet & 5 mm <b>FLEXFORM™</b> LVT
		<b>Mosaic 98-Spray</b> <ul style="list-style-type: none"> <li>Approved for all grade renovations where concrete pH levels are between 5-12 and RH is equal to or less than 98%.</li> </ul> <div style="border: 1px solid black; padding: 2px; display: inline-block;">INSTALL</div> 45 days after new pour with RH testing	
<b>SPRAY</b> 	over 98%	<b>Mosaic Moisture XT-Spray</b> <ul style="list-style-type: none"> <li>For use where very high moisture is a concern.</li> <li>NO moisture testing is required.</li> <li>NO RH or pH limits.</li> <li>NO vapor retarder is required.</li> </ul> <div style="border: 1px solid black; padding: 2px; display: inline-block;">INSTALL</div> 45 days after new pour / NO testing required	Modular Carpet & 5 mm <b>FLEXFORM™</b> LVT